

11/05/2022

**Public Tender No. 22005030**

**Goods: Steel Pipes 18"**

Please see below EAPC clarifications and replies to questions and comments received from potential participants:

EAPC replies and clarifications below become an integral part of this Tender and will force the bidders.

**EAPC Replies**

	Question	Reply
1.	<p>My name [REDACTED] and I am the [REDACTED], an Italian manufacturer of <b>Heavy Duty Scotch Yoke Actuators and Control systems</b>, including <b>HIPPS integration</b> and <b>Zero emission solutions</b>.</p> <p>We received the invitation for the following tender: <i>No. 22005030 Goods: Steel Pipes 18"</i></p> <p>Can you please share additional project documents such as datasheet or project specifications? We would like to know if actuators are required, however from the documents I downloaded from the website I couldn't find any mention.</p> <p>Attached you can find our general catalogue for your reference.</p> <p>Looking forward to receiving your kind feedback.</p>	<p>Please quote according the technical specification.</p> <p>No further details are required to issue a quotation.</p>
2.	What is the basis for the delivery by incoterms?	We will add the charges after checking with international shipping agents.
3.	What is the required delivery date for the pipes?	The delivery date for the pipes is according to the tender's documents.

4.	What is EAPC technical preference SMLS or welded pipe?	EAPC does not have any preference. SMLS pipes are confirmed.
5.	<p>In reference to paragraph 14 of the tender 22005030 -ERW pipes 18"</p> <p>We would appreciate your comments regarding 1.3:</p> <p>According to the tender precondition the bidder should supply in the past 5 years prior to deadline of submitting the proposals similar or equivalent Steel Pipes 18" which were finally supplied to customers in EU or OECD Member Countries in aggregate value of not less than 350,000 USD.</p> <p>Our company is supplying on everyday bases Steel Products to many customers in Israel including big orders for [REDACTED] and many contractors and players on the Israeli market.</p> <p>We are supplying goods to EAPC every year to your full satisfaction.</p> <p>During 2021 we supplied to EAPC goods from ARCELOR MITAL and ILYCH in total of 750,000 USD.</p> <p>We would appreciate letting us participate in EAPC tenders for pipes in spite of the fact that we do not have the aggregate value of 350,000 USD for pipes.</p> <p>As already mentioned we do have the experience to supply different goods and Projects and surely the manufacturer of the pipes has the experience and aggregate value.</p> <p>We will be offering only from the list of suppliers mentioned in your preconditions.</p>	The offer will be examined according to the Tender.